

EAST SEARCH

2/27/2007

| L# | Hits | Search String | Databases |
|-----|--------|--|--|
| S1 | 369200 | (aircraft near2 engine) or (combustion near2 engine) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S2 | 8 | ((aircraft near2 engine) or (combustion near2 engine)) with (service near2 (data or record or information)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S3 | 367 | S1 and (service near2 (data or record or information)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S4 | 45 | S3 and ((segment\$3 or group\$3 or classify\$3 or classification) near2 data) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S5 | 84 | S3 and (engine near2 type) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S11 | 1 | S3 and (moving near2 window) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S12 | 100642 | (service near2 (data or record or information)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S13 | 257 | S12 and (moving near2 window) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S15 | 25 | S13 and ((regression or correlation or statistical) near2 analysis) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S16 | 53 | S3 and ((segment\$3 or group\$3 or classify\$3 or classification) near2 time) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S7 | 7 | S3 and ((regression or correlation or statistical) near2 model) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S6 | 17 | S3 and ((measurement or collection or recording) near2 time) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S8 | 14 | S3 and ((regression or correlation or statistical) near2 analysis) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S9 | 9 | S3 and (performance near2 (variable or parameter)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S10 | 61 | S3 and (operating near2 condition) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S14 | 13 | S13 and ((regression or correlation or statistical) near2 model) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S17 | 1 | S3 and ((segment\$3 or group\$3 or classify\$3 or classification) with (discrete near2 condition)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S40 | 49 | S23 and S39 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S18 | 14 | S12 and ((segment\$3 or group\$3 or classify\$3 or classification) with (discrete near2 condition)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S19 | 5 | S3 and ((regression or correlation) near2 (parameter or coefficient)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S21 | 34 | S12 and ((regression or correlation) with "time series") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S22 | 2 | S3 and ((regression or correlation) with trend) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S26 | 2 | S3 and (trend with fault) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S27 | 40 | S12 and (trend with fault) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S28 | 0 | S3 and (((regression or correlation) near2 (parameter or coefficient)) with fault) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S30 | 1 | S3 and ("principal component analysis") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S33 | 4 | S3 and (validat\$3 near2 model) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S23 | 49 | S12 and ((regression or correlation) with trend) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S24 | 1 | S3 and (trend with fluctuation) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S20 | 1 | S3 and ((regression or correlation) with "time series") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S31 | 74 | S12 and ("principal component analysis") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S32 | 66 | S3 and (service with database) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S25 | 2 | S12 and (trend with fluctuation) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S34 | 11 | S3 and ((clean\$3 or preprocess\$3) near2 data) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S29 | 2 | S12 and (((regression or correlation) near2 (parameter or coefficient)) with fault) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S35 | 0 | S3 and (outlier near2 data) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S39 | 229 | S14 or S15 or S18 or S21 or S23 or S25 or S27 or S29 or S31 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S36 | 15 | S3 and ((heuristics or rule) with data) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S38 | 220 | S4 or S5 or S6 or S7 or S8 or S9 or S10 or S11 or S16 or S17 or S19 or S20 or S22 or S24 or S25 or S26 or S27 or S28 or S29 or S30 or S31 or S32 or S33 or S34 or S35 or S36 or S37 or S38 or S39 or S40 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S37 | 6 | S3 and ((evaluat\$3 or verify\$3 or verification) with model) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S41 | 267 | S38 or S40 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |

| | | | |
|-----|------|--|--|
| S54 | 28 | S45 and (performance near2 (variable or parameter)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S68 | 83 | S46 or S47 or S48 or S49 or S50 or S51 or S52 or S53 or S54 or S55 or S56 or S58 or S60 or S61 or S62 or S63 or S64 or S65 or S66 or S67 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S66 | 6 | S45 and (heuristics or rule) with data) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S65 | 1 | S45 and ((clean\$3 or preprocess\$3) near2 data) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S65 | 0 | S45 and (trend with fluctuation) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S64 | 2 | S45 and ("principal component analysis") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S61 | 0 | S45 and ((regression or correlation) with "time series") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S63 | 7 | S45 and (trend with fault) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S62 | 0 | S45 and ((regression or correlation) with trend) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S59 | 0 | S45 and (moving near2 window) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S60 | 1 | S45 and ((regression or correlation) near2 (parameter or coefficient)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S57 | 0 | S45 and ((segment\$3 or group\$3 or classify\$3 or classified or classification) with (discrete ne | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S56 | 18 | S45 and ((segment\$3 or group\$3 or classify\$3 or classified or classification) with time) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S58 | 1 | S45 and ((segment\$3 or group\$3 or classify\$3 or classified or classification) with (engine nea | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S55 | 21 | S45 and (operating near2 condition) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S52 | 10 | S45 and ((regression or correlation or statistical) near2 analysis) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S50 | 9 | S45 and ((regression or correlation or statistical) with model) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S51 | 9 | S45 and ((regression or correlation or statistical) with model\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S53 | 41 | S45 and (performance with analysis) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S49 | 22 | S45 and (performance with model) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S48 | 2 | S45 and ((regression or correlation or statistical) near2 model) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S47 | 4 | S45 and ((measurement or collection or recording) near2 time) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S43 | 133 | S42 and (performance near2 (data or record or information)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S42 | 3550 | ((aircraft or combustion or automobile or automotive or "gas turbine") near2 engine) near2 pe | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S46 | 32 | S45 and (engine near2 type) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S45 | 139 | S43 or S44 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S44 | 12 | S42 and (service near2 (data or record or information)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S69 | 3707 | ((aircraft or combustion or automobile or automotive or "gas turbine") near2 engine) near2 pe | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S70 | 337 | S69 and (engine near2 (data or record or information)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S71 | 5 | S70 and ((regression or correlation) near2 (model or analysis)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S72 | 48 | S70 and (regression or correlation) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |
| S73 | 14 | S70 and regression | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB |

10707656

James Aragones

EAST SEARCH

2/27/2007

Results of search set S91:

| Document Kind | Codes | Title | Issue Date | Current OR | Abstract |
|----------------|-------|---|------------|------------|----------|
| US 20060191326 | A1 | Multilateration enhancements for noise and operations management | 20060831 | 73/73 | |
| US 20060187026 | A1 | Tracking system and associated method | 20060824 | 340/539.13 | |
| US 20060180371 | A1 | System and Method for In-Vehicle Communications | 20060817 | 180/197 | |
| US 20060178898 | A1 | Unified event monitoring system | 20060810 | 705/1 | |
| US 20060168090 | A1 | Remote integrated subsystems in an aircraft or the like | 20060727 | 709/208 | |
| US 20060161453 | A1 | Authenticating subscriber identity to enable electronically ordering drug samples from a drug | 20060720 | 705/2 | |

| | | |
|-------------------|--|---------------------|
| US 20060158328 A1 | Method and system for providing tracking services to locate an asset | 20060720 340/539.13 |
| US 20060149456 A1 | Method and system for fuel injector time delay installation | 20060706 701/105 |
| US 20060143587 A1 | Method and device for synthesizing an electrical architecture | 20060629 716/18 |
| US 20060136105 A1 | Interactive data exchange system for vehicle maintenance scheduling and up-time optimization | 20060622 701/30 |
| US 20060119475 A1 | System and method for displaying engine fault conditions in a vehicle | 20060608 340/439 |
| US 20060119224 A1 | THERMOACOUSTIC PIEZOELECTRIC GENERATOR | 20060608 310/339 |
| US 20060103523 A1 | Mobile floor cleaner data communication | 20060518 340/540 |
| US 20060095230 A1 | Method and system for enhancing machine diagnostics aids using statistical feedback | 20060504 702/183 |
| US 20060089767 A1 | Vehicles fault diagnostic systems and methods | 20060427 701/29 |
| US 20060085108 A1 | Prioritized test procedure and step display using statistical feedback | 20060420 701/29 |
| US 20060071783 A1 | Method and system for providing tracking services to locate an asset | 20060406 340/539.13 |
| US 20060069635 A1 | Method of buying or selling items and a user interface to facilitate the same | 20060330 705/37 |
| US 20060065048 A1 | Sensor arrays based on electronic oscillators | 20060330 73/116 |
| US 20060047630 A1 | Construction device information processing system and construction device information processing | 20060302 707/3 |
| US 20060040711 A1 | Real-time analyst program for processing log files from network elements | 20060223 455/566 |
| US 20060025897 A1 | Sensor assemblies | 20060202 701/1 |
| US 20060020580 A1 | Method and system for providing aggregate data access | 20060126 707/3 |
| US 20060010152 A1 | System and method for managing machine servicing including workscope generation | 20060112 707/102 |
| US 20060010008 A1 | Card record system | 20060112 705/2 |
| US 20060009916 A1 | Quantitative PCR data analysis system (QDAS) | 20060112 702/20 |
| US 20060008809 A1 | Method for quantitative PCR data analysis system (QDAS) | 20060112 435/6 |
| US 20050273218 A1 | System for obtaining vehicular information | 20051208 701/2 |
| US 20050267731 A1 | Container-based architecture for simulation of entities in a time domain | 20051201 703/26 |
| US 20050266387 A1 | Answer collection and retrieval system governed by a pay-off meter | 20051201 434/323 |
| US 20050265253 A1 | System and method for automatically determining a recommended committed information rate | 20051201 370/252 |
| US 20050262237 A1 | Dynamic incident tracking and investigation in service monitors | 20051124 709/224 |
| US 20050257604 A1 | Method and system for determining engine cylinder power level deviation from normal | 20051124 73/116 |
| US 20050242232 A1 | Solar thermal aircraft | 20051103 244/53R |
| US 20050240465 A1 | System and method for workforce requirements management | 20051027 705/10 |
| US 20050234622 A1 | Steering control system and method | 20051020 701/41 |
| US 20050216793 A1 | Method and apparatus for detecting abnormal behavior of enterprise software applications | 20050929 714/38 |
| US 20050216151 A1 | Telematic retrieval of vehicle performance information | 20050929 701/33 |
| US 20050193810 A1 | Method and system of determining life of turbocharger | 20050908 73/119R |
| US 20050192727 A1 | Sensor Assemblies | 20050901 701/37 |
| US 20050187677 A1 | PFN/TRAC system™ FAA upgrades for accountable remote and robotics control to stop the | 20050825 701/16 |
| US 20050174235 A1 | Tracking system and associated method | 20050811 340/539.13 |
| US 20050171705 A1 | Condition monitoring in technical processes | 20050804 702/33 |
| US 20050137762 A1 | System for dynamic diagnosis of apparatus operating conditions | 20050623 701/29 |
| US 20050131631 A1 | Guiding device, system thereof, method thereof, program thereof and recording medium storing | 20050616 701/200 |
| US 20050131596 A1 | Integrated automated analysis and repair | 20050616 701/29 |
| US 20050128074 A1 | Method and system for providing tracking services to locate an asset | 20050616 340/539.1 |
| US 20050125117 A1 | Vehicular information and monitoring system and methods | 20050609 701/29 |
| US 20050115314 A1 | FUEL LEVEL SENSOR | 20050602 73/290B |
| US 20050096953 A1 | Methods and apparatus for predictive service for information technology resource outages | 20050505 705/7 |
| US 20050090941 A1 | Telematics based programming gateway | 20050428 701/1 |
| US 20050085973 A1 | System and method for remotely analyzing machine performance | 20050421 701/50 |
| US 20050083196 A1 | System and method for remotely obtaining and managing machine data | 20050421 340/539.16 |
| US 20050081410 A1 | System and method for distributed reporting of machine performance | 20050421 37/379 |

| | | |
|-------------------|---|---------------------|
| US 20050060085 A1 | METHOD AND SYSTEM FOR FUEL INJECTOR TIME DELAY INSTALLATION | 20050317 701/103 |
| US 20050046584 A1 | Asset system control arrangement and method | 20050303 340/825.72 |
| US 20050043011 A1 | Method and system for refining vending operations based on wireless data | 20050224 455/405 |
| US 20050024202 A1 | SYSTEM FOR TRACKING AND LOCATING AN OBJECT USING A CELLULAR NETWORK | 20050203 340/539.13 |
| US 20050024201 A1 | METHOD FOR LOCATING AN ASSET | 20050203 340/539.13 |
| US 20050021218 A1 | INFLUENCE OF ENGINE PARAMETERS ON CONDENSATION PROTECTION STRATEGIE | 20050127 701/108 |
| US 20050021217 A1 | Re-entry strategy from boost mode to EGR mode | 20050127 701/108 |
| US 20040260470 A1 | Conveyance scheduling and logistics system | 20041223 701/300 |
| US 20040254071 A1 | Method for control of washcoat distribution along channels of a particulate filter substrate | 20041216 502/439 |
| US 20040249556 A1 | Engine control and catalyst monitoring based on estimated catalyst gain | 20041209 701/114 |
| US 20040230498 A1 | Method of returning a rental vehicle to a rental agency facility | 20041118 705/26 |
| US 20040225475 A1 | METHOD, SYSTEM AND COMPUTER PRODUCT FOR PERFORMING FAILURE MODE AN | 20041111 702/185 |
| US 20040215382 A1 | Telematics system | 20041028 701/45 |
| US 20040204818 A1 | Computer algorithm to estimate particulate filter regeneration rates | 20041014 701/114 |
| US 20040204775 A1 | Economic calculations in process control system | 20041014 700/29 |
| US 20040172229 A1 | SYSTEM AND METHOD FOR MEASURING QUALITY OF BASELINE MODELING TECHNIC | 20040902 703/8 |
| US 20040172228 A1 | SYSTEM AND METHOD FOR DIAGNOSING FAULTS UTILIZING BASELINE MODELING TI | 20040902 703/8 |
| US 20040172227 A1 | SYSTEM AND METHOD FOR IMPROVING ACCURACY OF BASELINE MODELS | 20040902 703/8 |
| US 20040130442 A1 | Wireless and powerless sensor and interrogator | 20040708 340/443 |
| US 20040130211 A1 | METHOD FOR RECONDITIONING A FRICTION COUPLE IN A SERVICE BRAKE AND A VE | 20040708 303/191 |
| US 20040110044 A1 | System and method for enabling the real time buying and selling of electricity generated by fu | 20040610 429/13 |
| US 20040106454 A1 | Method and apparatus for providing a complimentary service to a player | 20040603 463/42 |
| US 20040078733 A1 | Method and apparatus for monitoring and maintaining user-perceived quality of service in a c | 20040422 714/57 |
| US 20040056766 A1 | Method and system for uploading and downloading engine control data | 20040325 340/539.1 |
| US 20040049324 A1 | Electrically controlled automated devices to operate, slow, guide, stop and secure, equipment | 20040311 701/1 |
| US 20040039509 A1 | Method and apparatus for controlling a vehicular component | 20040226 701/45 |
| US 20040034504 A1 | Method and control unit for determining the probability of failure of a motor-vehicle componen | 20040219 702/181 |
| US 20040024502 A1 | Equipment service vehicle with remote monitoring | 20040205 701/33 |
| US 20040002794 A1 | Steering control system and method | 20040101 701/1 |
| US 20030221118 A1 | Automated accounting system that values, controls, records and bills the uses of equipment/v | 20031127 713/193 |
| US 20030210908 A1 | Method and apparatus for locating faults in an optical network | 20031113 398/33 |
| US 20030204758 A1 | Managing system power | 20031030 713/320 |
| US 20030195720 A1 | Methods and apparatus for engine diagnostics | 20031016 702/185 |
| US 20030195681 A1 | System for dynamic diagnosis of apparatus operating conditions | 20031016 701/33 |
| US 20030187878 A1 | Computer aided maintenance and repair information system for equipment subject to regulat | 20031002 707/104.1 |
| US 20030187520 A1 | Method and apparatus for circuit breaker node software architecture | 20031002 700/11 |
| US 20030182085 A1 | Methods and apparatus for engine diagnostics | 20030925 702/185 |
| US 20030158640 A1 | Equipment service vehicle with network-assisted vehicle service and repair | 20030821 701/33 |
| US 20030158638 A1 | Control system and method for electric vehicle | 20030821 701/22 |
| US 20030158635 A1 | Firefighting vehicle with network-assisted scene management | 20030821 701/1 |
| US 20030158615 A1 | Control system and method therefor | 20030821 700/96 |
| US 20030130784 A1 | Method and apparatus for identifying parameters of an engine component for assembly and r | 20030710 701/104 |
| US 20030120417 A1 | Diagnostic system and method to temporarily adjust fuel quantity delivered to a fuel injected e | 20030626 701/104 |
| US 20030109973 A1 | Electronic operations and maintenance log and system for an aircraft | 20030612 701/35 |
| US 20030095038 A1 | Remote vehicle diagnostic system | 20030522 340/425.5 |
| US 20030093187 A1 | PFN/TRAC system™ FAA upgrades for accountable remote and robotics control to stop the | 20030515 701/1 |
| US 20030055841 A1 | Durability wizard | 20030320 707/104.1 |
| US 20030052302 A1 | Chemical base for engine coolant / antifreeze with improved thermal stability properties | 20030320 252/71 |

| | | |
|-------------------|---|--------------------|
| US 20030048265 A1 | Method and information system for process analysis | 20030313 345/419 |
| US 20030036891 A1 | System, method and computer product for baseline modeling a product or process | 20030220 703/8 |
| US 20030034995 A1 | Interactive graphics-based analysis tool for visualizing reliability of a system and performing n | 20030220 715/713 |
| US 20030028461 A1 | System, apparatus, and method for making improved security trading decisions | 20030206 705/36R |
| US 20030025481 A1 | Energy management system for automotive vehicle | 20030206 320/155 |
| US 20030009270 A1 | Telematics system for vehicle diagnostics | 20030109 701/29 |
| US 20030003990 A1 | Evaluation of responses of participatory broadcast audience with prediction of winning contes | 20030102 463/25 |
| US 20020184043 A1 | Systems and methods for managing business metrics | 20021205 705/1 |
| US 20020174004 A1 | System and method for managing customer productivity through central repository | 20021121 705/8 |
| US 20020165674 A1 | Method and system for analyzing biological response signal data | 20021107 702/19 |
| US 20020161495 A1 | Vehicle control system | 20021031 701/33 |
| US 20020138185 A1 | Diagnostic director | 20020926 701/33 |
| US 20020132144 A1 | System and method for enabling the real time buying and selling of electricity generated by fu | 20020919 429/13 |
| US 20020115531 A1 | Overspeed prevention | 20020822 477/92 |
| US 20020111922 A1 | Electronic markets business interchange system and method | 20020815 705/80 |
| US 20020091756 A1 | Network method system and apparatus for recording and maintaining records | 20020711 709/203 |
| US 20020087389 A1 | Value your home | 20020704 705/10 |
| US 20020046214 A1 | Computer aided maintenance and repair information system for equipment subject to regulat | 20020418 707/104.1 |
| US 20020045973 A1 | Information providing apparatus for engine-equipped mobile body | 20020418 701/1 |
| US 20020035482 A1 | Business to business information environment with subscriber-publisher model | 20020321 705/1 |
| US 20020007225 A1 | Method and system for graphically identifying replacement parts for generally complex equipr | 20020117 700/99 |
| US 20010056544 A1 | Electrically controlled automated devices to operate, slow, guide, stop and secure, equipment | 20011227 726/2 |
| US 20010039503 A1 | Method and system for managing chronic disease and wellness online | 20011108 705/2 |
| US 20010032109 A1 | System and method for predicting a maintenance schedule and costs for performing future se | 20011018 705/8 |
| US 20010003099 A1 | EVALUATION OF RESPONSES OF PARTICIPATORY BROADCAST AUDIENCE WITH PRE | 20010607 463/40 |
| US 7104120 B2 | Method and system of determining life of turbocharger | 20060912 73/119R |
| US 7103460 B1 | System and method for vehicle diagnostics | 20060905 701/29 |
| US 7089099 B2 | Sensor assemblies | 20060808 701/32 |
| US 7082403 B2 | System and method for managing customer productivity through central repository | 20060725 705/8 |
| US 7082359 B2 | Vehicular information and monitoring system and methods | 20060725 701/36 |
| US 7081699 B2 | Thermoacoustic piezoelectric generator | 20060725 310/311 |
| US 7079938 B2 | Influence of engine parameters on condensation protection strategies | 20060718 701/108 |
| US 7050897 B2 | Telematics system | 20060523 701/46 |
| US 7047799 B2 | Thermostat malfunction detecting system for engine cooling system | 20060523 73/118.1 |
| US 7047164 B1 | Port trend analysis system and method for trending port burst information associated with a c | 20060516 703/2 |
| US 7031827 B2 | Computer algorithm to estimate particulate filter regeneration rates | 20060418 701/114 |
| US 7024926 B2 | Thermostat malfunction detecting system for engine cooling system | 20060411 73/118.1 |
| US 7010967 B2 | Thermostat malfunction detecting system for engine cooling system | 20060314 73/118.1 |
| US 6993421 B2 | Equipment service vehicle with network-assisted vehicle service and repair | 20060131 701/33 |
| US 6988026 B2 | Wireless and powerless sensor and interrogator | 20060117 701/29 |
| US 6965816 B2 | PFN/TRAC system FAA upgrades for accountable remote and robotics control to stop the uni | 20051115 701/16 |
| US 6957570 B2 | Thermostat malfunction detecting system for engine cooling system | 20051025 73/118.1 |
| US 6934621 B2 | Re-entry strategy from boost mode to EGR mode | 20050823 701/108 |
| US 6917846 B1 | Apparatus and method of providing a work machine | 20050712 700/108 |
| US 6912575 B1 | System and method for automatically determining recommended committed information rate i | 20050628 709/226 |
| US 6909994 B2 | Method, system and computer product for performing failure mode and effects analysis throu | 20050621 702/185 |
| US 6909287 B2 | Energy management system for automotive vehicle | 20050621 324/427 |
| US 6907780 B1 | Fuel level sensor | 20050621 73/299 |

| | | |
|---------------|--|--------------------|
| US 6901377 B1 | Methods and systems for aviation parts, information and services | 20050531 705/26 |
| US 6894611 B2 | Method and system for uploading and downloading engine control data | 20050517 340/539.1 |
| US 6886503 B2 | Engine cooling system | 20050503 123/41.05 |
| US 6885920 B2 | Control system and method for electric vehicle | 20050426 701/22 |
| US 6882917 B2 | Steering control system and method | 20050419 701/48 |
| US 6879906 B2 | Engine control and catalyst monitoring based on estimated catalyst gain | 20050412 701/114 |
| US 6873917 B2 | Method and control unit for determining the probability of failure of a motor-vehicle component | 20050329 702/35 |
| US 6865986 B1 | Answer collection and retrieval system governed by a pay-off meter | 20050215 707/1 |
| US 6850824 B2 | Method and apparatus for controlling a vehicular component | 20050201 701/36 |
| US 6847897 B1 | Method and system for analyzing biological response signal data | 20050125 702/19 |
| US 6845307 B2 | System for dynamic diagnosis of apparatus operating conditions | 20050118 701/33 |
| US 6839635 B2 | Method and system for analyzing biological response signal data | 20050104 702/19 |
| US 6832205 B1 | System and method for automatically predicting the timing and costs of service events in a life | 20041214 705/10 |
| US 6816762 B2 | Electronic operations and maintenance log and system for an aircraft | 20041109 701/35 |
| US 6799154 B1 | System and method for predicting the timing of future service events of a product | 20040928 703/22 |
| US 6775607 B2 | Diagnostic system and method to temporarily adjust fuel quantity delivered to a fuel injected engine | 20040810 701/104 |
| US 6748305 B1 | Method and device for storing data in a vehicle and for evaluating said stored data | 20040608 701/35 |
| US 6738697 B2 | Telematics system for vehicle diagnostics | 20040518 701/29 |
| US 6721750 B1 | System and method for broadband capacity tracking | 20040413 707/100 |
| US 6714846 B2 | Diagnostic director | 20040330 701/33 |
| US 6677854 B2 | Remote vehicle diagnostic system | 20040113 340/438 |
| US 6673479 B2 | System and method for enabling the real time buying and selling of electricity generated by fuel cells | 20040106 429/12 |
| US 6671611 B1 | Method and apparatus for identifying parameters of an engine component for assembly and testing | 20031230 701/104 |
| US 6662086 B2 | Fuzzy logic based emergency flight control with thrust vectoring capability | 20031209 701/3 |
| US 6650970 B2 | Information providing apparatus for engine-equipped mobile body | 20031118 701/1 |
| US 6647328 B2 | Electrically controlled automated devices to control equipment and machinery with remote control | 20031111 701/36 |
| US 6631384 B1 | Information system and method using analysis based on object-centric longitudinal data | 20031007 707/104.1 |
| US 6615160 B1 | Methods and apparatus for engine diagnostics | 20030902 702/185 |
| US 6615120 B1 | System for dynamic diagnosis of apparatus operating conditions | 20030902 701/33 |
| US 6615091 B1 | Control system and method therefor | 20030902 700/96 |
| US 6601015 B1 | Embedded datalogger for an engine control system | 20030729 702/182 |
| US 6591182 B1 | Decision making process and manual for diagnostic trend analysis | 20030708 701/100 |
| US 6549843 B1 | Diagnostic system and method to temporarily adjust fuel quantity delivered to a fuel injected engine | 20030415 701/104 |
| US 6537177 B2 | Overspeed prevention | 20030325 477/75 |
| US 6535890 B2 | Computer aided maintenance and repair information system for equipment subject to regulation | 20030318 707/104.1 |
| US 6473659 B1 | System and method for integrating a plurality of diagnostic related information | 20021029 700/79 |
| US 6453241 B1 | Method and system for analyzing biological response signal data | 20020917 702/19 |
| US 6443840 B1 | Evaluation of responses of participatory broadcast audience with prediction of winning contestants | 20020903 463/17 |
| US 6360161 B1 | Method and system for fuel injector coefficient installation | 20020319 701/115 |
| US 6359439 B1 | Compression sense ignition system with fault mode detection and having improved capacitive sensing | 20020319 324/391 |
| US 6353734 B1 | Wireless spread spectrum ground link-based aircraft data communication system for engine control | 20020305 455/98 |
| US 6339741 B1 | Engine speed control with resume from idle or near idle | 20020115 701/110 |
| US 6331762 B1 | Energy management system for automotive vehicle | 20011218 320/134 |
| US 6292806 B1 | Computer aided maintenance and repair information system for equipment subject to regulation | 20010918 707/104.1 |
| US 6266610 B1 | Multi-dimensional route optimizer | 20010724 701/201 |
| US 6263322 B1 | Integrated automotive service system and method | 20010717 705/400 |
| US 6259976 B1 | Fuzzy logic based emergency flight control with thrust vectoring | 20010710 701/3 |
| US 6163681 A | Wireless spread spectrum ground link-based aircraft data communication system with variable data rate | 20001219 455/66.1 |

| | | |
|--------------|---|---------------------|
| US 6151582 A | Decision support system for the management of an agile supply chain | 20001121 705/8 |
| US 6148179 A | Wireless spread spectrum ground link-based aircraft data communication system for engine | 20001114 455/66.1 |
| US 6141608 A | System for dynamic diagnosis of apparatus operating conditions | 20001031 701/33 |
| US 6131085 A | Answer collection and retrieval system governed by a pay-off meter | 20001010 705/1 |
| US 6123174 A | Apparatus and method for automatically performing fluid changes | 20000926 184/1.5 |
| US 6070155 A | Integrated automated analysis and repair | 20000530 705/400 |
| US 6055852 A | Method and apparatus for estimation of relative cylinder compression balance by cranking sp | 20000502 73/116 |
| US 6032461 A | Exhaust emission control apparatus for internal combustion engine | 20000307 60/295 |
| US 5987474 A | Computer aided maintenance and repair information system for equipment subject to regulat | 19991116 707/104.1 |
| US 5953707 A | Decision support system for the management of an agile supply chain | 19990914 705/10 |
| US 5916024 A | System and method of playing games and rewarding successful players | 19990629 463/40 |
| US 5813383 A | Variable displacement diesel engine | 19980929 123/198F |
| US 5778381 A | Computer aided maintenance and repair information system for equipment subject to regulat | 19980707 707/104.1 |
| US 5759101 A | Central and remote evaluation of responses of participatory broadcast audience with automa | 19980602 463/40 |
| US 5732676 A | Method and system for engine control | 19980331 123/436 |
| US 5717595 A | Integrated automated vehicle analysis | 19980210 705/400 |
| US 5697844 A | System and method for playing games and rewarding successful players | 19971216 463/40 |
| US 5657233 A | Integrated automated vehicle analysis | 19970812 705/400 |
| US 5625664 A | Methods for the design, quality control, and management of fatigue-limited metal components | 19970429 378/72 |
| US 5606315 A | Security method for protecting electronically stored data | 19970225 340/5.74 |
| US 5548756 A | Object-oriented architecture for factory floor management | 19960820 707/10 |
| US 5508731 A | Generation of enlarged participatory broadcast audience | 19960416 725/24 |
| US 5477827 A | Method and system for engine control | 19951226 123/436 |
| US 5431134 A | Engine ignition timing device | 19950711 123/146.5A |
| US 5398336 A | Object-oriented architecture for factory floor management | 19950314 707/103R |
| US 5357934 A | Apparatus for controlling pressure within fuel tank | 19941025 123/520 |
| US 5245554 A | Integrated quality control method and system | 19930914 702/185 |
| US 5211080 A | Method of shift control during a coastdown shift for an electronic automatic transmission syst | 19930518 475/123 |
| US 5174334 A | Noise control device for a solenoid-actuated valve | 19921229 137/596.17 |
| US 5157610 A | System and method of load sharing control for automobile | 19921020 701/32 |
| US 5115698 A | Electronically-controlled, adaptive automatic transmission system | 19920526 475/65 |
| US 5115407 A | Integrated certification-calibration system for a testing system having multiple test instrum | 19920519 702/121 |
| US 5079707 A | Integrated certification-calibration system for a testing system having multiple test instrum | 19920107 701/35 |
| US 5027934 A | Double-acting spring in an automatic transmission | 19910702 192/85AA |
| US 5014214 A | Use of diodes in an input circuit to take advantage of an active pull-down network provided in | 19910507 700/298 |
| US 4998200 A | Electronic controller for an automatic transmission | 19910305 701/51 |
| US 4992951 A | Utilization of a reset output of a regulator as a system low-voltage inhibit | 19910212 700/298 |
| US 4991096 A | Shutdown relay driver circuit | 19910205 701/62 |
| US 4982620 A | Method of learning for adaptively controlling an electronic automatic transmission system | 19910108 747/31.1 |
| US 4980793 A | Open loop control of solenoid coil driver | 19901225 361/154 |
| US 4964506 A | Pressure balanced pistons in an automatic transmission | 19901023 192/106F |
| US 4959786 A | Dual regulator for reducing system current during at least one mode of operation | 19900925 701/51 |
| US 4955336 A | Circuit for determining the crank position of an ignition switch by sensing the voltage across tl | 19900911 123/179.3 |
| US 4944200 A | Method of applying reverse gear in an automatic transmission | 19900731 477/155 |
| US 4938102 A | Method of adaptively scheduling a shift for an electronic automatic transmission system | 19900703 477/154 |
| US 4936167 A | Method of universally organizing shifts for an automatic transmission system | 19900626 477/155 |
| US 4916961 A | Cam-controlled manual valve in an automatic transmission | 19900417 74/337.5 |
| US 4915204 A | Push/pull clutch apply piston of an automatic transmission | 19900410 192/87.17 |

| | | |
|-------------------|---|--------------------|
| US 4907681 A | Park locking mechanism for an automatic transmission | 19900313 192/219.5 |
| US 4907475 A | Fluid switching manually between valves in an automatic transmission | 19900313 477/134 |
| US 4905545 A | Method of controlling the speed change of a kickdown shift for an electronic automatic transmission | 19900306 477/133 |
| US 4887491 A | Solenoid-actuated valve arrangement for a limp-home mode of an automatic transmission | 19891219 477/34 |
| US 4875391 A | Electronically-controlled, adaptive automatic transmission system | 19891024 477/155 |
| US 4833708 A | Remote cable pair cross-connect system | 19890523 379/327 |
| US 4693874 A | Method for reducing gas turbine NO sub.x emissions | 19870915 423/235 |
| US 4593263 A | Mileage recording and service reminding accessory for a shared-use vehicle | 19860603 340/457.4 |
| US 4354401 A | Automatic transmission for automobiles | 19821019 477/38 |
| US 4326410 A | Engine test method | 19820427 73/117.3 |
| US 4313080 A | Method of charge control for vehicle hybrid drive batteries | 19820126 320/123 |
| US 4280185 A | Engine module life tracking system | 19810721 701/99 |
| US 4145746 A | Engine tester display and printing techniques | 19790320 701/102 |
| US 3934568 A | Crankshaft governor of an internal combustion engine | 19760127 123/373 |
| JP 2003138948 A | METHOD OF PROVIDING SERVICE INFORMATION ON OVERHAULING OF AIRCRAFT ENGINE | 20030514 |
| JP 2003138948 A | Service information provision method for overhaul of aircraft engine, involves retrieving engine | 20030514 |
| EP 1146468 A | Service event time and cost predicting system for aircraft engine, automobile, processes serv | 20011017 |
| EP 1115080 A | Aviation parts and services system (APS) for providing service to aircraft turbine engine, retrik | 20010711 |
| EP 553285 B | Object-oriented architecture for development of software systems - comprises interface serve | 20000301 |
| US 2669227 A | Overhead valve engine | 19540216 123/54.7 |
| US 2317950 A | Oil testing apparatus | 19430427 422/102 |
| US 20060080025 A1 | Fuel property-adaptive engine control system with on-board fuel classifier | 20060413 701/106 |
| US 20060047487 A1 | Bootstrap data methodology for sequential hybrid model building | 20060302 703/9 |
| US 20050209823 A1 | Method and apparatus for comparing a data set to a baseline value | 20050922 702/185 |
| US 20050209821 A1 | Method and system for removing very low frequency noise from a time-based data set | 20050922 702/183 |
| US 20050061297 A1 | FUEL PRESSURE CONTROL APPARATUS FOR CYLINDER INJECTION TYPE INTERNAL | 20050324 123/458 |
| US 20040148139 A1 | Method and system for trend detection and analysis | 20040729 702/189 |
| US 20040117150 A1 | Systems and methods for diagnosing the cause of trend shifts in performance data | 20040617 702/182 |
| US 20030167118 A1 | Engine control using torque estimation | 20030904 701/101 |
| US 20030084659 A1 | Exhaust-gas purification system with delayed recording of measured values and method for d | 20030508 60/277 |
| US 20030045992 A1 | Diagnostic method and system for turbine engines | 20030306 701/100 |
| US 7047924 B1 | Method for diagnosing the operational state of a two-step variable valve lift device | 20060523 123/90.16 |
| US 7039554 B2 | Method and system for trend detection and analysis | 20060502 702/183 |
| US 7031878 B2 | Systems and methods for diagnosing the cause of trend shifts in performance data | 20060418 702/182 |
| US 6889666 B2 | Fuel pressure control apparatus for cylinder injection type internal combustion engine | 20050510 123/514 |
| US 6866024 B2 | Engine control using torque estimation | 20050315 123/430 |
| US 6701706 B2 | Exhaust-gas purification system with delayed recording of measured values and method for d | 20040309 60/276 |
| US 6687596 B2 | Diagnostic method and system for turbine engines | 20040203 701/100 |
| US 6577419 B1 | Optical-frequency communications system for aircraft | 20030610 398/115 |
| US 6353734 B1 | Wireless spread spectrum ground link-based aircraft data communication system for engine e | 20020305 455/98 |
| US 6240894 B1 | Control system for cylinder injection type internal combustion engine | 20010605 123/295 |
| US 6223716 B1 | Fuel control system for cylinder injection type internal combustion engine | 20010501 123/295 |
| US 6151547 A | Air/fuel ratio manipulation code for optimizing dynamic emissions | 20001121 701/101 |
| US 6148179 A | Wireless spread spectrum ground link-based aircraft data communication system for engine e | 20001114 455/66.1 |
| US 5918578 A | Fuel feeding system for internal combustion engine | 19990706 123/456 |
| US 5878717 A | Cylinder pressure based air-fuel ratio and engine control | 19990309 123/435 |
| US 5869752 A | Engine degradation detector | 19990209 73/116 |

| | | |
|------------------|---|---------------------|
| US 5778857 A | Engine control system and method | 19980714 123/406.37 |
| US 5765532 A | Cylinder pressure based air-fuel ratio and engine control | 19980616 123/435 |
| US 5738074 A | Engine control system and method | 19980414 123/305 |
| US 5697346 A | Method for using sonic gas-fueled internal combustion engine control system | 19971216 123/494 |
| US 5687082 A | Methods and apparatus for performing combustion analysis in an internal combustion engine | 19971111 701/111 |
| US 5662079 A | Manifold flow turning vanes in internal combustion engines | 19970902 123/188.14 |
| US 5595060 A | Apparatus and method for internal-combustion engine control | 19970121 60/274 |
| US 5537854 A | Acoustic natural gas fuel sensor | 19960723 73/24.01 |
| US 5494018 A | Altitude dependent fuel injection timing | 19960227 123/478 |
| US 5394689 A | Gas turbine engine control system having integral flight Mach number synthesis method | 19950307 60/204 |
| US 5168447 A | Engine trim control unit | 19921201 701/99 |
| US H001006 H | Multilevel classifier structure for gas turbine engines | 19911203 700/298 |
| US 5050081 A | Method and system for monitoring and displaying engine performance parameters | 19910917 701/14 |
| US 4809174 A | Aircraft energy loading method and apparatus | 19890228 701/3 |
| US 4705000 A | Apparatus and method for controlling amount of fuel injected into engine cylinders | 19871110 123/357 |
| US 4577602 A | High swirl very low pollution piston engine employing optimizable vorticity metering | 19860325 123/306 |
| US 4542462 A | Device for controlling a vehicle charging system | 19850917 701/1 |
| US 4344394 A | High swirl very low pollution piston engine employing optimizable vorticity | 19820817 123/306 |
| US 4328546 A | Apparatus for evaluating the performance of an internal combustion engine using exhaust ga | 19820504 701/102 |
| US 4215412 A | Real time performance monitoring of gas turbine engines | 19800729 701/100 |
| US 4158884 A | Gas turbine engine trim test set apparatus | 19790619 701/100 |
| US 20030036891 A | Aircraft engine baseline modeling method involves relating engine performance variables for | 20030220 14 |